

YAMAHA PERFORMANCE BULLETIN

Boat Manufactured By:



1090 West St. James Street • Tarboro, NC

(252) 641-8000

www.worldcat.com



Length	22' 7"
Beam	8' 6"
Dry Weight (Boat Mfr. Pub)	4,100 lbs
Maximum HP	300 hp
Fuel Capacity	120 gal
Weight as Tested	6,054 lbs

F150XSA2 / LF150XSA2

Horsepower	150 hp
Induction	EFI/VCT/DOHC
Displacement	2.8L
Weight (Estimated)	522 - 522 lbs
Gear Ratio	2:1

ENGINE MOUNTING HEIGHT

Mounting Hole	#3
Position	#3

PROPELLER(S)

Series	Reliance
Diameter x Pitch	13-3/4 x 19
Yamaha Part #	68F-45974-20-00 / 68G-45974-20-
Yamana Part#	00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People 2 Air / Water



Engine: Yamaha

F150XSA2 / LF150XSA2

Boat: World Cat 235 TE

Configuration: Twin

Test Date: 3-Jan-2024



PERFORMANCE DATA

RPM	МРН	GPH	MPG
1000	5.3	1.7	3.12
1500	7.0	2.9	2.40
2000	8.1	4.8	1.69
2500	12.8	6.6	1.95
3000	20.6	8.1	2.54
3500	26.6	10.2	2.62
3500 4000	26.6 31.8	10.2 13.1	2.62 2.42
4000	31.8	13.1	2.42
4000 4500	31.8 36.7	13.1 16.6	2.42 2.22

0-20 MPH: 3.60 seconds

0-30 MPH: 5.93 seconds

Temperature 53° F / 46° F (Fahrenheit)

Elevation (in feet above sea level)

Wind Velocity 5-10 MPH

COMMENTS

Test weight includes 60 gallons of fuel, 2 batteries, safety and test equipment.

YPB#: PB_WCC_235 TE_TW_F150XSA2_01-03-2024_CAT

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.